AS 380/15 Scrubber/Dryers



Compact and micro walk-behind scrubber/dryer

The AS380/15 is a compact and micro walk-behind scrubber dryer, attractive design, micro size, simple and easy to use, fully equipped and ready to use.

With this compact micro scrubber/dryer, you can easily clean the floors in narrow areas. The AS380/15 is easy to use and with handles on the side of the water tank is highly user friendly. The foldable handles makes it easy to transport and storage the machine. The adjustable handle takes the ergonomic needs if the user into consideration. Furthermore the AS380/15 is easy to service and maintain.

You can choose battery version and cable version, battery version will be delivered including brush, squeegee, battery and charger, cable version will be delivered including brush, squeegee and 15 meter power cable.

PRODUCT FACTS

- Ergonomic, adjustable and foldable handle,
- Extremely compact,
- Easy to manoeuvre, transport and storage,
- · Easy to use and service
- Easy to clean, refill and empty
- Suitable for application in narrow area
- Rotationally moulded tank
- Robust handle lock
- Two tanks system
- Battery and Cable versions
- EU and UK versions.



FSMaster Sognevej 25, 2605 Brøndby Tel: +45 43238100 - Fax: +45 43437700

Viper Europe

Scrubber/Dryers AS 380/15

Model	AS380/15	AS380/15	AS380/15	AS380/15
Ref. no	50000199	50000200	50000201	50000202
Description	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230- 240V 50/60HZ	AS380/15C-UK 15 230- 240V 50/60HZ
PRODUCT FEATURES				
ADJUSTABLE HANDLE				
COMPACT DESIGN				
INCL. ACCESSORIES				
VF89502 BLADE SQUEEGEE FRONT				
VF89503 BLADE SQUEEGEE REAR		•		•
VF89801 BRUSH 15INCH PLASTIC		•		
VF89039 KIT BATTERY 24V AGM				
VF89023EU KIT CHARGER 24VDC 50-60HZ				
VF89023UK KIT CHARGER 24VDC 50-60HZ				
VF89500 KIT SQUEEGEE ALUMINUM				
Technical specifications	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230- 240V 50/60HZ	AS380/15C-UK 15 230- 240V 50/60HZ
Technical specifications CABLE LENGTH (M)/ PLUG TYPE				
			240V 50/60HZ	240V 50/60HZ
CABLE LENGTH (M)/ PLUG TYPE	SCRUBBER 24V 50/60HZ	SCRUBBER 24V 50/60HZ	240V 50/60HZ 15/EU	240V 50/60HZ 15/UK
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W)	SCRUBBER 24V 50/60HZ - 250	SCRUBBER 24V 50/60HZ - 250	240V 50/60HZ 15/EU 250	240V 50/60HZ 15/UK 250
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W)	SCRUBBER 24V 50/60HZ - 250 300	250 300	240V 50/60HZ 15/EU 250	240V 50/60HZ 15/UK 250
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE	250 2X12V/33Ah/20H	250 300 2X12V/33Ah/20H	240V 50/60HZ 15/EU 250 300	240V 50/60HZ 15/UK 250 300
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O)	- 250 300 2X12V/33Ah/20H 800	250 300 2X12V/33Ah/20H 800	240V 50/60HZ 15/EU 250 300 - 800	240V 50/60HZ 15/UK 250 300 - 800
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A))	- 250 300 2X12V/33Ah/20H 800 65	250 300 2X12V/33Ah/20H 800 65	240V 50/60HZ 15/EU 250 300 - 800 69	240V 50/60HZ 15/UK 250 300 - 800 69
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H)	- 250 300 2X12V/33Ah/20H 800 65 750	250 300 2X12V/33Ah/20H 800 65 750	240V 50/60HZ 15/EU 250 300 - 800 69 750	240V 50/60HZ 15/UK 250 300 - 800 69 750
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H) SOLUTION TANK (L)	- 250 300 2X12V/33Ah/20H 800 65 750	250 300 2X12V/33Ah/20H 800 65 750	240V 50/60HZ 15/EU 250 300 - 800 69 750	240V 50/60HZ 15/UK 250 300 - 800 69 750
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H) SOLUTION TANK (L) RECOVERY TANK (L)	- 250 300 2X12V/33Ah/20H 800 65 750 15	250 300 2X12V/33Ah/20H 800 65 750 15	240V 50/60HZ 15/EU 250 300 - 800 69 750 15	240V 50/60HZ 15/UK 250 300 - 800 69 750 15
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H) SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM)	- 250 300 2X12V/33Ah/20H 800 65 750 15 490	250 300 2X12V/33Ah/20H 800 65 750 15 490	240V 50/60HZ 15/EU 250 300 - 800 69 750 15 15	240V 50/60HZ 15/UK 250 300 - 800 69 750 15 15
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H) SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM) BRUSH/PAD DIAMETER (MM)	- 250 300 2X12V/33Ah/20H 800 65 750 15 15 490	250 250 300 2X12V/33Ah/20H 800 65 750 15 15 490 380	240V 50/60HZ 15/EU 250 300 - 800 69 750 15 15 490 380	240V 50/60HZ 15/UK 250 300 - 800 69 750 15 15 490 380
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H) SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM) BRUSH/PAD DIAMETER (MM) BRUSH SPEED (RPM)	- 250 300 2X12V/33Ah/20H 800 65 750 15 490 380 150	250 250 300 2X12V/33Ah/20H 800 65 750 15 15 490 380 150	240V 50/60HZ 15/EU 250 300 - 800 69 750 15 15 490 380 140	240V 50/60HZ 15/UK 250 300 - 800 69 750 15 15 490 380 140
CABLE LENGTH (M)/ PLUG TYPE BRUSH MOTOR (W) VACUUM MOTOR POWER (W) BATTERY TYPE VACUUM (MMH2O) SOUND PRESSURE LEVEL (dB(A)) PRODUCTIVITY RATE (M²/ H) SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM) BRUSH/PAD DIAMETER (MM) BRUSH SPEED (RPM) LENGTH X WIDTH X HEIGHT (MM)	250 250 300 2X12V/33Ah/20H 800 65 750 15 490 380 150 780x415x590	250 250 300 2X12V/33Ah/20H 800 65 750 15 490 380 150 780x415x590	240V 50/60HZ 15/EU 250 300 - 800 69 750 15 15 490 380 140	240V 50/60HZ 15/UK 250 300 - 800 69 750 15 15 490 380 140



FSMaster

Scrubber/Dryers AS 380/15



Viper Europe Sognevej 25, 2605 Brøndby Tel: +45 43238100 - Fax: +45 43437700

http://vipercleaning.eu

Print created: 15-05-2013 15:33 3 / 4

FSMaster

Scrubber/Dryers AS 380/15

Accessorie	Accessories		Min. required	AS380/15		
and and the	Batteries and Chargers	7	·			
II.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1	•		
B 1	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1	•		
	KIT BATTERY 24V AGM	VF89039	1	•		
	Brush disc. 380mm					
380mm	BRUSH 15INCH PLASTIC	VF89801	1	•		
	Squeegees, blades, skirts and splash guards					
· West	KIT SQUEEGEE ALUMINUM	VF89500	1	•		
•	BLADE SQUEEGEE FRONT	VF89502	1	•		
	BLADE SQUEEGEE REAR	VF89503	1	•		



FSMaster